

Assoc Prof Krish Karthigasu

MBBS (WA), FRANZCOG, FRCOG

SPECIALIST GYNAECOLOGIST GYNAECOLOGICAL LAPAROSCOPIC SURGEON

Telephone: (08) 9389 8900 Facsimile: (08) 9389 8911 HealthLink EDI - kkarthig Provider Number - 080727QT

Post-Operative advice for patients undergoing Laparoscopic Hysterectomy

Generally the rules are simple

'Listen to your Body"

- 1. If tired rest
- 2. If it Hurts Stop doing what you are doing
- 3. Take your analgesics (pain medication) regularly, particularly in the first weeks.

 These will be given to you o discharge from the hospital
- 4. Avoid constipation take something if you are prone to this. Remember, the fasting, the operation, anaesthetic, hospital and pain medicine all contribute to constipation
- 5. No intercourse for 6 weeks. If there is any discharge or bleeding, then wait until review at 8 weeks
- 6. You are fine to resume normal exercise and driving a car when you are comfortable. Exercise should be started gradually. For driving ... practice by trying to push on the brake pedal while the car is parked to ensure no pain, and can stop in case of an emergency. Again "Listen to your Body"
- 7. It is normal to have some bleeding for up to the 8 week mark, usually it is light. Sometimes an increase occurs at the 2-4 week mark correlating with the release of any blood clot at the top of the vagina. It is like the end of a period. Any heavier bleeding should be reported to Dr Karthigasu in the rooms as it may be a sign of infection at the top of the vagina
- 8. Keep the incision clean and dry. There is a dissolvable stitch underneath the skin and glue on the surface. The glue will flake off during the first few weeks. If redness occurs, start applying some betadine to the incision 3 times a day. If not getting better, it may be an infection either call the rooms or see your GP
- 9. The most common complication of hysterectomy is infection either at the top of the vagina, urinary tract, pelvic or skin. This is in part dues to the fact that the vagina always has bacteria and can never been eliminated as they are part of the health of the vagina. Contact Dr Karthigasu if you have symptoms of infection ... offensive discharge (a white discharge is common and normal after a hysterectomy), fever, shakes, pain with urination, blood in urine, abnormal bleeding or generally unwell
- 10. A post-operative visit is usually planned at around 8 weeks later

- 11. Usually my nurse will call you a week after surgery to check on your well-being
- 12. Call if you are concerned or not recovering as well as anticipated. Most of the time it will be part of the normal recovery (it is always variable from patient to patient) however, some patients may require investigations to ensure no injuries to organs, infections or bleeding